From Coherent and Inherent Aspects to Insight –
 Methodology of Chorological and Coherent Conceptual Knowledge Contextualisation:

Approaches for Multi-disciplinary Contexts in Prehistory and Archaeology

The International Conference on Advanced Geographic Information Systems, Applications, and Services (GEOProcessing 2021) July 18–22, 2021, Nice, France



Dr. rer. nat. Claus-Peter Rückemann<sup>1,2,3</sup>



<sup>1</sup> Westfälische Wilhelms-Universität Münster (WWU), Münster, Germany
 <sup>2</sup> Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF), Germany
 <sup>3</sup> Leibniz Universität Hannover, Hannover, Germany
 ruckema(at)uni-muenster.de



# Epitome / bstract

## **Epitome** / abstract

- This paper presents research on a new methodology of general chorological and coherent conceptual knowledge contextualisation across disciplines. The presented achievements and scenarios concentrate on new information science approaches for multi-disciplinary contexts in prehistory and archaeology, targeting the use of inherent aspects and creation of new insight, strategies, and perspectives.
- The new advanced approach can be applied to any type of knowledge, e.g., factual, conceptual, procedural, metacognitive, and structural.
- The integration of chorological knowledge includes integration of spatial and geospatial knowledge and features. Goal of this research are new facilities for coherent contextualisation in multi-disciplinary contexts. Here, we are focussing on coherent knowledge in contexts with prehistory and archaeology disciplines, natural sciences, and advanced geoscientific information systems. The solution also integrates knowledge from satellite data and soil diversity and respective properties. The knowledge approach allows a multi-directional utilisation of coherent conceptual knowledge.
- Future research concentrates on further continuing the development of components and application in multi-disciplinary scenarios of prehistory and archaeology.

<ロ> <同> <同> < 回> < 回>

# Common Information – The Author

#### Information: CV, lectures, studies, materials, research, and networking

### Curriculum Vitae:

http://scienceparagon.de/cpr/x/rueckemann/en/

Publications, lectures, and materials:

http://scienceparagon.de/cpr/x/rueckemann/en/#Publications

http://scienceparagon.de/cpr/x/frodi/en/#Courses

#### Congresses and venues:

http://scienceparagon.de/cpr/x/rwerkr/en/

### Research

#### Dr. Claus-Peter Rückemann Westfälische Wilhelms-Universität Münster (WWU) E-Mail: ruckema(at)uni-muenster.de

Chair of the Board of Trustees, Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (uDIMF); Chair of the Board on Advanced Computing and Emerging Technologies and Chair of the Symposia Board, International Academy, Research, and Industry Association; General Chair and Chair of the Steering Committee of The International Conference on Advanced Communications and Computation (INFOCOMP); General Chair and Chair of the Steering Committee of The International Conference on Advanced Computation and Information in Natural and Applied Sciences; Director GEXI Consortium; Head of research LX Foundation; Senior Member of Knowledge in Motion long-term project; Fellow Member of the Int. HPC and Artificial Intelligence Advisory Council; Member of the Indexing Committee Board, IARIA; Westfälische Wilhelms-Universität Minister (WWU); Senior Scientist and Senior Lecturer Information Science. Security, and Computing at Leibniz Univ. Hannover: IARIA Fellow.





▲ロ → ▲御 → ▲ 臣 → ▲ 臣 → ⑦ � (

## Introduction

### Coherency and chorology

- These days, mostly all Geographic Information Systems and even more advanced and more complex Geoscientific Information Systems (GIS) are -by themselvesnot yet taking multi-disciplinary coherent knowledge and contexts into consideration. From scientific point of view, it is a questionable approach to think of and practice a distinct discipline while considering any other required scientific discipline being auxiliary, which, for further simplification, may even be reduced to 'data delivery', 'technical', and 'procedural' contributions.
- Multi-disciplinary scenarios often require to consider a wide range of contexts with disciplines put to their level. It is the coherent knowledge of contexts, which is most relevant for new insight. Therefore, contextualisation should not be done without considering multi-disciplinary coherency and expert views from different disciplines put on a par with respective further scientific collaboration and support.
- Goal of this research are new information science facilities for a coherent conceptual contextualisation. The result of this research is a new methodology of general chorological and coherent conceptual knowledge contextualisation.

## Introduction

### Coherency and chorology

- The new advanced approach enables a systematical, coherent contextualisation and can be applied with knowledge complements, e.g., factual, conceptual, procedural, metacognitive, and structural.
- The approach is knowledge-centric, in a way "knowledge-driven" but explicitly not "development-procedure-driven" or "software-driven".
- From knowledge complements' point of view, chorology is for place what chronology is for time. The integration of chorological knowledge includes integration of spatial and geospatial knowledge and features.
- Here, we are focussing on scenarios of coherent multi-disciplinary knowledge in context with prehistory and archaeology, natural sciences, and advanced geoscientific information system components. The solution also integrates knowledge from satellite data and soil diversity with respective properties.

## Introduction

### Prehistory and multi-disciplinary contextualisation and motivation

- Contexts in prehistory are special in a way that there are no direct historical sources and respectively no literary reference and documentation.
   Contextualisation is therefore a main intrinsic task in prehistory and protohistory.
- An approach has to conform with information science fundaments and universal knowledge and has to enable an integration of the required components from methodologies to realisations for knowledge representations of realia and abstract contexts [1] while many facets of knowledge, including prehistory, need to be continuously acquired and reviewed [2].
- There is no published approach known, which can be reasonably compared with the implemented and presented method. Therefore, there was a strong need for an advanced methodology to contextualise knowledge, e.g., from practically available knowledge resources. This paper presents the methodological fundaments for a chorological and coherent multi-disciplinary contextualisation.
- The potential for finding and integrating multi-disciplinary inherent aspects and creation of new insight, strategies, and perspectives by development of components employing coherent conceptual knowledge has been a major motivation.

## Component integration and method

### Component integration and method

- Commonly used tools are not aware of features for contextualisation from multi-disciplinary components. Therefore, advanced individual workflows need proper preparation of components and workflow procedures. Preparation requires methods for deployment of respective knowledge characteristics and properties. Further, any workflow should be created being aware of the individuality of these characteristics.
- Many aspects of knowledge, including meaning, can be described using knowledge complements supporting a modern definition of knowledge and subsequent component instrumentation [3] [4], e.g., considering factual, conceptual, procedural, metacognitive, and structural knowledge. Especially, conceptual knowledge can relate to any of factual, conceptual, procedural, and structural knowledge. To a comparable extent, metacognitive knowledge can relate to any of factual, conceptual, and structural knowledge.
- Knowledge complements are a means of understanding and targeting new insight, e.g., enabling advanced contextualisation, integration, analysis, synthesis, innovation, prospection, and documentation.

# Component integration and method

### Methodological fundaments

The approach can be summarised based on the methodological fundaments.

• Selection and development of a coherent, multi-disciplinary reference implementation.

Knowledge complements are addressing reference implementations.

- Multi-disciplinary knowledge resources and integrated components are realised with knowledge-centric focus.
- Contextualisation employing knowledge complements.
- Analysis, synthesis, documentation can employ reference implementations for new insight and development.

### Significant developments

An approach to the multi-disciplinary nature of this research requires significant developments of coherently integration-able, fundamental context components especially

- multi-disciplinary contexts of prehistory and archaeology and respective resources,
- chorological contexts, e.g.,
- homogeneously consistent high resolution Digital Elevation Model (DEM) for land and sea bottom, and
- natural sciences Knowledge Resources (KR), e.g., soil classification resources, standardised soil reference systems, and parameters.

#### Major Component Implementations and Development

The following passages give a compact overview of major component implementations and development integrated with this research. A more detailed, comprehensive discussion and examples regarding the fundaments are available with the research on methodology, contextualisation, and conceptual knowledge.

Relevant pre-existing and ongoing component developments addressing knowledge with multi-disciplinary Knowledge Resources (KR) have been summarised [5].

#### 1) Conceptual knowledge frameworks

 A main reference implementation developed and used in practice with ongoing long-term research and applied for KR is the prehistory-protohistory and archaeology Conceptual Knowledge Reference Implementation (CKRI),

イロン イボン イヨン イヨン

• including multi-disciplinary contexts of natural sciences and humanities [6].

#### 2) Conceptual knowledge base

- Conceptual knowledge base is The **Universal Decimal Classification (UDC)** [7], a general plan for knowledge classification, providing an analytico-synthetic and facetted classification, designed for subject description and indexing of content of information resources irrespective of the carrier, form, format, and language.
- UDC-based references in this publication are taken from the multi-lingual UDC summary [7] released by the UDC Consortium under a Creative Commons license [8].

マロト イラト イラト

### 3) Integration of scientific reference frameworks

- The integration includes relevant scientific practices, frameworks, and standards from disciplines and contexts.
- Geosciences and soil science are continuously delivering updated state of the art research and insight, including geodiversity and standardisation [9] [10] as required for contextualisation.
- A practical reference implementation for coherent contextualisation of prehistory-protohistory and archaeology conceptual knowledge [6] is currently in development within a long-term project accompanying this research.

-

### 4) Formalisation

 All integration components, for all disciplines, require an explicit and continuous formalisation [11] process in order to conform with the information science principles according to the practices in the disciplines.

#### 5) Methodologies and workflows integration

- Methodologies for creating and utilising methods include model processing, remote sensing, spatial mapping, high information densities, and visualisation.
- The respective contextualisation of prehistoric scenarios should each be done under individual prehistoric conditions, especially supported by

・ 同 ト ・ ヨ ト ・ ヨ ト

- standard algorithms [12],
- multi-dimensional criteria, spatial operations,
- interpolation
- geodesic computation [13],
- triangulation [14],
- gradient computation [15],
- and projection [16].

#### 6) Prehistory Knowledge Resources

- In order to overcome basic shortcomings of public 'data collections' the objects, entities, and respective conceptual knowledge references' excerpts and examples are taken from
- The Prehistory and Archaeology Knowledge Archive (PAKA). PAKA has been in continuous development for more than three decades [17] and is released by DIMF [18].

## 7) Natural Sciences Knowledge Resources

• Several coherent systems of major natural sciences' context object groups from KR realisations have been implemented [5] [7] [19].

- 4 同 6 4 日 6 4 日 6

-

C2021 Dr. rer. nat. Claus-Peter Rückemann

#### 8) Inherent representation groups

• The methodology can consider a wide range of representation groups for major disciplines and context object groups regarding their inherent representation and common utilisation, e.g.,

(ロ) (同) (三) (三) (三) (○)

- points,
- polygons,
- lines,
- Digital Elevation Model (DEM) representations,
- z-value representations,
- distance representations,
- area representations,
- raster,
- vector,
- binary, and
- non-binary data.

#### 9) Scientific context parametrisation

 Scientific context parametrisation of prehistoric targets can use the overall insights, e.g., from

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三 のので

- geoscientific disciplines [20] [21].
- A relevant example is contextualisation with palaeolandscapes [22].

#### 10) Structures and symbolic representation standards

- The deployment of long-term universal structure and data standards is essential.
- Relevant examples of sustainable implementations are NetCDF [23] based standards, including advanced features, hybrid structure integration, and parallel computing support (PnetCDF) and generic multi-dimensional table data, universal source and text based structure and code representations.
- Results of the practical implementations and realisations are presented in the following sections.

- 4 回 ト - 4 回 ト

# Resulting Implementation and Realisation

#### **Resulting Implementation and Realisation**

A means of choice in order to achieve overall efficient realisations even for complex scenarios, integrating arbitrary knowledge, is to use the principles of Superordinate Knowledge. The core assembly elements of Superordinate Knowledge are methodology, implementation, and realisation [24]. In the following solution, scenario targets are

- contexts of prehistoric cemeteries and burials
- at the North Sea coast, in North-Rhine Westphalia, Lower Saxony, and The Netherlands.
- Integration targets are natural sciences and
- speleological contexts, caves and cave systems
- in North-Rhine Westphalia, Lower Saxony, and The Netherlands,
- soil diversity, and overall integration with
- chorological, symbolical, spatial context representations, e.g., place, spatial planning,

- auxiliary subdivisions for boundaries and
- spatial forms and
- administrative units.

#### Coherent conceptual knowledge implementation

We can select relevant references from the implemented prehistory-protohistory and archaeology CKRI [6].

The methodology allows to address any other references on a coherent information science knowledge base, e.g., geoscientific knowledge from natural sciences KR components.

Further, the reference implementation enables to address chorology on the coherent knowledge base.

(ロ) (同) (三) (三) (三) (○)

### Coherent conceptual knowledge implementation (1/3)

Universally consistent conceptual knowledge based on UDC references [25]. Table 1 : Coherent conceptual knowledge deployed for contextualisation, selected UDC code references (excerpt).

Code / Sign Ref.	Verbal Description (EN)
UDC:004	Science and Knowledge. Organization. Computer Science. Information. Documentation. Librarianship. Institutions. Publications Computer science and technology. Computing.
UDC:1	Philosophy. Psychology
UDC:2	Religion. Theology
UDC:3	Social Sciences
UDC:5 UDC:53 UDC:539 UDC:54 UDC:55 UDC:550.3 UDC:551	Mathematics. Natural Sciences Astronomy. Astrophysics. Space research. Geodesy Physics Physical nature of matter Chemistry. Crystallography. Mineralogy Earth Sciences. Geological sciences Geophysics General geology. Meteorology. Climatology. Historical geology. Stratigraphy. Palaeogeography

・ロン ・回と ・ヨン ・ ヨン

Coherent conceptual knowledge implementation (2/3)	
Code / Sign Ref.	Verbal Description (EN)
UDC:551.44	Speleology. Caves. Fissures. Underground waters
UDC:551.46	Physical oceanography. Submarine topography. Ocean floor
UDC:551.7	Historical geology. Stratigraphy
UDC:551.8	Palaeogeography
UDC:56	Palaeontology
UDC:6	Applied Sciences. Medicine, Technology
UDC:63	Agriculture and related sciences and techniques. Forestry.
	Farming. Wildlife exploitation
UDC:631.4	Soil science. Pedology. Soil research
UDC:7	The Arts. Entertainment. Sport
UDC:8	Linguistics. Literature
UDC:9	Geography. Biography. History
UDC:902	Archaeology
UDC:903	Prehistory. Prehistoric remains, artefacts, antiquities
UDC:904	Cultural remains of historical times

< 口 > < 回 > < 回 > < 回 > < 回 > .

æ –

Coherent conceptual	knowledge implem	entation (3/3)

Code / Sign Ref.	Verbal Description (EN)
UDC (1/9)	Common auxiliaries of place
UDC:(1)	Place and space in general. Localization. Orientation
UDC:(2)	Physiographic designation
UDC:(20)	Ecosphere
UDC:(21)	Surface of the Earth in general. Land areas in particular.
	Natural zones and regions
UDC:(23)	Above sea level. Surface relief. Above ground generally.
	Mountains
UDC:(24)	Below sea level. Underground. Subterranean
UDC:(25)	Natural flat ground (at, above or below sea level).
	The ground in its natural condition, cultivated or inhabited
UDC:(26)	Oceans, seas and interconnections
UDC:(28)	Inland waters
UDC:(3/9)	Individual places of the ancient and modern world
UDC:(3)	Places of the ancient and mediaeval world
UDC:(4/9)	Countries and places of the modern world
UDC:(4)	Europe
UDC: "…"	Common auxiliaries of time.
UDC: "6"	Geological, archaeological and cultural time divisions
UDC: "62"	Cenozoic (Cainozoic). Neozoic (70 MYBP - present)

<ロ> <同> <同> < 回> < 回>

## Multi-disciplinary views: Prehistory and archaeology

### Multi-disciplinary views: Prehistory and archaeology

Excerpt of UDC:903....:2 groups [7] for prehistory and protohistory (PAKA, [17] [18]).

Table 2 : Prehistory and protohistory ritual/burial object and subgroup examples, and conceptual view groups [7] (excerpt).

Major Object Group	Selected Objects	Conceptual View Group
Ritual places, burials	yes	UDC:903:2
Cemetery	_	UDC:9032
Barrow	-	UDC:903:2
round	-	UDC:9032
long	-	UDC:9032
Cist	-	UDC:903:2
Dolmen	-	UDC:903:2
Tomb	-	UDC:903:2
chamber	-	UDC:9032
court	-	UDC:903:2
portal	-	UDC:903:2
rock cut	-	UDC:903:2
wedge	-	UDC:9032
Pithos burial	-	UDC:9032
Cave	-	UDC:903:2
Body finding	-	UDC:9032
Urn	-	UDC:903:2
	-	UDC:9032

C)2021

## Resulting Realisation Components: Soil Diversity Reference System

### Resulting realisation components: Soil diversity reference system (1/2)

## $\label{eq:complete} \mbox{Compiled UDC:} 631.4.\dots \mbox{ base soil reference system for prehistory and archaeology:}$

Table 3 : Compilation of conceptual reference system (UDC:631.4. . .), implemented and realised WRB standard soil type reference groups and soil type specifications.

Soil type Reference group	Soil type specification Name in WRB 2006 / WRB 1998
Acrisol Alisol	Haplic / Ferric, Gleyic, Haplic, Humic, Plinthic Plinthic
Albeluvisol	Haplic / Endoeutric, Gleyic, Haplic, Histic, Stagnic, Umbric
Andosol Anthrosol	Aluandic / Dystric, Humic, Umbric, Mollic, Vitric Anthrosol, Plaggic
Arenosol	Albic, Haplic, Protic
Calcisol	Aridic
Chernozem	Calcic, Haplic, Gleyic, Haplic, Luvic
Cambisol	Haplic / Calcaric, Haplic / Chromic, Haplic / Dystric,
	Haplic / Eutric, Gleyic, Haplic, Mollic, Vertic
Fluvisol	Haplic / Calcaric, Haplic / Dystric, Haplic / Eutric,
	Gleyic, Haplic, Histic, Mollic, Salic, Thionic
Gleysol	Haplic / Calcaric, Haplic / Dystric, Haplic / Eutric, Haplic / Haplic, Histic, Humic, Mollic, Thionic
Gypsisol	Haplic / Haplic, Histic, Humic, Monic, Thionic Haplic / Aridic

イロト イポト イヨト イヨト

## Resulting Realisation Components: Soil Diversity Reference System

## Resulting realisation components: Soil diversity reference system (2/2)

Table 4 : Compilation of conceptual reference system (UDC:631.4...), implemented and realised WRB standard soil type reference groups and soil type specifications.

Soil type Reference group	Soil type specification Name in WRB 2006 / WRB 1998
Histosol	Histosol, Hemic / Dystric, Hemic / Eutric, – / Fibric, – / Gelic, – / Sapric
Kastanozem	Calcic, Haplic, Luvic
Leptosol	Haplic / Calcaric, Haplic / Dystric, Haplic / Eutric,
Luvisol	Haplic / Haplic, Haplic / Humic, Rendzic, Lithic Albic, Haplic / Arenic, Calcic, Haplic / Chromic,
	Haplic / Dystric, Haplic / Ferric, Gleyic, Haplic, Vertic
Phaeozem	– / Albic, Haplic / Calcaric, Gleyic, Haplic, Luvic, Haplic / Sodic
Planosol	Haplic / Dystric, Haplic / Eutric, Haplic
Podzol	Haplic / Carbic, Haplic / Entic, Gleyic, Haplic, Leptic, Placic, Haplic / Rustic, Umbric
Regosol	Haplic / Calcaric, Haplic / Dystric, Haplic / Eutric, Haplic
Solonchak	Gleyic, Haplic, Haplic / Takyric, Mollic
Solonetz	Gleyic, Haplic, Mollic
Umbrisol	Arenic, Gleyic
Vertisol	Haplic / Chromic, Haplic, Haplic / Pellic

イロン イボン イヨン イヨン

# Resulting Realisation Components: Soil Diversity Reference System

### Soil diversity standards and universal conceptual knowledge

- For this research, the reference system is based on standard soil references and UDC, both enabling a systematic and coherent approach.
- Soil diversity groups are relevant for prehistorical and archaeological objects and contexts. Contextualised soil diversity groups are referenced in a consistent, standardised way.
- From this base compilation, a properties based reference system can be created for further contextualisation, parametrisation, and processing with the ongoing research on soil diversity for prehistory and archaeology.
- Associated information, e.g., on soil drainage, wetness, pH status, base saturation, chloride, subsoil organic material, and stiffness can be found as reference in the World Reference Base (WRB) for soil resources [26, 27] from the Food and Agriculture Organisation (FAO), United Nations.
- In this context, the conceptual references are referring to the respective categories, e.g., UDC:631.4...:903+"4...".

# Resulting Multi-disciplinary Integration Facets

### Multi-disciplinary integration facets

 Table 5 : Reference facets of a multi-disciplinary target contextualisation, based on CKRI, implemented and realised using UDC code references (excerpt).

Code / Sign Ref.	Verbal Description (EN)	
Geography. Biography. History		
UDC:903	Prehistory, prehistoric remains, artefacts, antiquities	
:2	referring to religion and rituals	
, "62"	from Holocene	
,(4DENW) ,(4DENI)	in North-Rhine Westphalia, Germany in Lower Saxony, Germany	
,(4NL)	in The Netherlands	
	Earth sciences, geological sciences	
UDC:551.44	Speleology, caves, fissures, underground waters	
	Applied sciences, agriculture in general	
UDC:631.4	Soil research data	
	Geodesy. Photogrammetry	
UDC:52,(23) UDC:52,(24)	Remote sensing data, above sea level	
UDC:52,(24)	Remote sensing data, below sea level	
	Contextualisation Place	
UDC:(4)	Europe	

(日) (同) (三) (三)

э



### Resulting coherent knowledge integration

- The figure shows the resulting coherent conceptual knowledge integration sketch diagram, integrating knowledge resources for a prehistoric, natural sciences, and spatial contextualisation for excerpts of prehistoric cemeteries' and caves' distributions, remote sensing data, and soil properties with respective knowledge references.
- The sketch considers the major conceptual references for illustration. Detailed research can further detail on
  - prehistoric object groups,
  - characteristics, and
  - properties,
  - topographic properties,
  - soil properties, and many more.
- Therefore, the conceptual sketch view can result in levels of arbitrary numbers of different integrations of complements and associated properties as resulting from the KR, which are discussed in the following.
- The result integrates
  - · required KR components based on coherent conceptual knowledge and
  - systematical chorological knowledge for multi-disciplinary contexts, e.g., arbitrary group representations, classification based representations, and geospatial representations.

#### **Contexts and integration**

- Knowledge objects and contexts are provided by The Prehistory and Archaeology Knowledge Archive (PAKA) [17] [18].
- The multi-disciplinary coherent contextualisation employs the base of:
- a new soil system reference development with soil types (UDC:631.4...) of WRB standard,
- reference contexts, especially for UDC:903....:2,551.7+"628"....,
- prehistorical, protohistorical time spans and
- artefacts related to religion and rituals,
- geology,
- especially stratigraphy and
- paleogeography,
- quaternary, especially late glacial and Holocene.
- The integrated natural sciences KR further provide information on caves in the respective region.

### **CKRI**, Reference implementation

- Contextualisation is enabled by the **Conceptual Knowledge Reference Implementation (CKRI)**, including multi-disciplinary contexts of natural sciences and humanities [6].
- The conceptual knowledge base is **The Universal Decimal Classification (UDC)** [7].

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三 のので

### Contexts and ymbolical representation

- In this illustration plain Digital Chart of the World (DCW) data are used [28].
- The coastline database is the Global Self-consistent Hierarchical High-resolution Geography (GSHHG) [29] [30], which was mainly compiled from the World Vector Shorelines (WVS) [31], the CIA World Data Bank II (WDBII) [32], and the Atlas of the Cryosphere (AC).

#### Contexts, projection, and components

- An equal area projection (Eckert IV) is advised due to the type of discipline knowledge representation.
- The compilation uses the World Geodetic System (WGS).
- The symbolic representation of the contextualisation is done via LX Professional Scientific Content-Context-Suite (LX PSCC Suite)

-

• deploying the Generic Mapping Tools (GMT) [33] for visualisation.

# Resulting Coherent Knowledge Integration

#### Methodology, implementations, and realisations

- Concrete details of knowledge complements and components have been provided [5].
- All basic technical aspects can be created on that base for individual application scenarios. As illustrated, the solution is explicitly not a database concept and the goal is explicitly not just to link different multi-disciplinary concepts.
- The solution allows to create individual conceptual knowledge based algorithms and to integrate with new and available spatial and temporal processing algorithms. Basic components and functions are given in the references.

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >
# Resulting Coherent Knowledge Integration

### Integration, methodologies, and properties

The presented integration approach for chorological and coherent contextualisation provides a solid base for multi-disciplinary contexts in prehistory and archaeology. The implemented system of components, continuously in development, integrates relevant and beneficial methodologies and properties, especially

- coherent conceptual knowledge views,
- multi-disciplinary contextualisation,
- application approaches for multi-disciplinary contexts in prehistory and archaeology,
- allows systematical chorological consideration of knowledge, e.g., arbitrary group representations, classification based representations, geospatial representations,
- further development and valorisation of resources,
- integration of multi-disciplinary resources,
- choice for homogeneity of components,
- deployment of systematical procedures,
- effective and efficient integration and analysis,
- automation of workflows and procedures, and
- o provides multi-lingual conceptual knowledge support.

# Resulting Coherent Knowledge Integration

### Continuously in focus

- The methodological approach also allows the multi-directional utilisation: Conceptual knowledge and resulting integration, e.g., symbolic representation, on the one hand and integration results delivering references to conceptual knowledge and new integrated knowledge contexts on the other hand.
- As demonstrated with the integration for this research, besides
  - coherency,
  - general flexibility,
  - robustness, and
  - scalability,
  - criteria for components employed with implementation and realisation

should be evaluated carefully for being able to consider solid information science fundaments and knowledge centricity, beyond plain technical and proprietary features.

イロン イボン イヨン イヨン

-

# Resulting Coherent Knowledge Integration

### Selection criteria

Resulting from the methodology, the realisation integrates a wide range of relevant selection criteria, e.g., in this scenario:

- Conceptual selection (esp. prehistory, cemetery; natural sciences, caves).
- Spatial, mathematical selection.
- Regional spatial selection.
- Topographic selection (esp. above sea level).
- Contextualised selection (esp. with availability of sufficient natural sciences, soil, and other context data).

3

# Conclusion

### Conclusion

- The practical solution for implementation and realisation of the new knowledge-based methodology showed to enable coherent conceptual knowledge for contextualisation in prehistory, archaeology, and natural sciences.
- The more, the approach enables to integrate multi-disciplinary contexts by a consistent system (editions) and supports multi-lingualism.
- Multi-disciplinary scenarios can be considered in multi-fold ways, e.g., knowledge can be documented, analysed, integrated, and selected deploying conceptual knowledge. The methodological approach also allows a multi-directional utilisation. Any KR result can be considered starting point, intermediate result, and final result, depending on a defined task and workflow.
- The general methodology provides flexibility for solid information science based methods and enables a wide range of benefits for scenarios and implementations, e.g., coherent multi-disciplinary and multi-lingual documentation and systematical knowledge based geo-spatial processing, aware of inherent knowledge spanning arbitrary disciplines. With that, geospatial scenarios are special cases of chorological contextualisation.

## Conclusion

### Recommendations and future research

Further recommendations from practical experiences with knowledge complements and component integration are:

- Add consistent and coherent conceptual knowledge to objects and entities of your resources and make workflows deploy conceptual knowledge.
- Choose multi-disciplinary resources with homogeneous properties, e.g., resolution and coverage.
- Use long-term standards.
- Practice scientific state-of-the-art parametrisation of respective knowledge, data, and algorithms.
- Create context dependent, suitable symbolic representations and individual methods.
- Proceed the knowledge-centric integration reasoned and levelheaded.

Future research concentrates on continuing development of components for detailed multi-disciplinary application scenarios in prehistory and archaeology and respective chorological and coherent conceptual knowledge contextualisation.



# Networking



Dr. rer. nat. Claus-Peter Rückemann

### References and acknowledgements, see:

⇒ C.-P. Rückemann, "Methodology of Chorological and Coherent Conceptual Knowledge Contextualisation: Approaches for Multi-disciplinary Contexts in Prehistory and Archaeology," in Proceedings of The Thirteenth International Conference on Advanced Geographic Information Systems, Applications, and Services (GEOProcessing 2021), July 18 – 22, 2021, Nice, France XPS Press, 2021, ISSN: 2308-393X, ISBN-13: 978-1-61208-762-7, URL: http://www.thinkmind.org/index.php? view=instance&cinstance=GEOProcessing+2021 [accessed: 2021-07-18], http://www.iaria.org/conferences2021/ProgramGEOProcessing21.html [accessed: 2021-07-18].

◆□▶ ◆□▶ ◆三▶ ◆三▶ 三 うの()

## Acknowledgements

#### Acknowledgements

This ongoing research is supported by scientific organisations and individuals. We are grateful to the "Knowledge in Motion" (KiM) long-term project, Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF), for partially funding this research, implementation, case studies, and publication under grants D2018F1P04962, D2019F1P04998, and D2020F1P05228 and to its senior scientific members and members of the permanent commission of the science council, especially to Dr. Friedrich Hülsmann, Gottfried Wilhelm Leibniz Bibliothek (GWLB) Hannover, to Dipl.-Biol. Birgit Gersbeck-Schierholz, Leibniz Universität Hannover, to Dipl.-Ing. Martin Hofmeister, Hannover, and to Olaf Lau, Hannover, Germany, for fruitful discussion, inspiration, and practical multi-disciplinary case studies. We are grateful to Dipl.-Ing. Hans-Günther Müller, Göttingen, Germany, for providing specialised, manufactured high end computation and storage solutions. We are grateful to The Science and High Performance Supercomputing Centre (SHPSC) for long-term support. / DIMF-PIID-DF98\_007.

3



# Bibliography / References

Reference section containing all the cited references used from the respective publication.

= na0



- C.-P. Rückemann, "From Knowledge and Meaning Towards Knowledge Pattern Matching: Processing and Developing Knowledge Objects Targeting Geoscientific Context and Georeferencing," in Proc. of The Twelfth Internat. Conf. on Advanced Geographic Information Systems, Applications, and Services (GEOProcessing 2020), November 21–25, 2020, Valencia, Spain. XPS Press, Wilmington, Delaware, USA, 2020, pp. 36–41, ISSN: 2308-393X, ISBN-13: 978-1-61208-762-7.
- [2] R. Gleser, Zu den erkenntnistheoretischen Grundlagen der Prähistorischen Archäologie. Leiden, 2021, 2021, (title in English: On the Epistemological Fundaments of Prehistorical Archaeology), in: M. Renger, S.-M. Rothermund, S. Schreiber, and A. Veling (Eds.), Theorie, Archäologie, Reflexion. Kontroversen und Ansätze im deutschsprachigen Diskurs, (in print).
- [3] C.-P. Rückemann, F. Hülsmann, B. Gersbeck-Schierholz, P. Skurowski, and M. Staniszewski, *Knowledge and Computing*. Post-Summit Results, Delegates' Summit: Best Practice and Definitions of Knowledge and Computing, Sept. 23, 2015, The Fifth Symp. on Adv. Comp. and Inf. in Natural and Applied Sciences (SACINAS), The 13th Int. Conf. of Num. Analysis and Appl. Math. (ICNAAM), Sept. 23–29, 2015, Rhodes, Greece, 2015, pp. 1–7, DOI: 10.15488/3409.
- [4] L. W. Anderson and D. R. Krathwohl, Eds., A Taxonomy for Learning, Teaching, and Assessing: A Revision of Bloom's Taxonomy of Educational Objectives. Allyn & Bacon, Boston, MA (Pearson Education Group), USA, 2001, ISBN: 978-0801319037.
- [5] C.-P. Rückemann, "Prehistory's and Natural Sciences' Multi-disciplinary Contexts: Contextualisation and Context Integration Based on Universal Conceptual Knowledge," in Proceedings of The Eleventh International Conference on Advanced Communications and Computation (INFOCOMP 2020), May 30 – June 3, 2021, Valencia, Spain. XPS Press, Wilmington, Delaware, USA, 2021, ISSN: 2308-3484, ISBN: 978-1-61208-865=5+ \* E > E

うへつ

- [6] C.-P. Rückemann, "The Information Science Paragon: Allow Knowledge to Prevail, from Prehistory to Future – Approaches to Universality, Consistency, and Long-term Sustainability," *The International Journal "Information Models and Analyses" (IJ IMA)*, vol. 9, no. 2, 2020, Markov, K. (ed.), ISSN: 1314-6416 (print), (to appear).
- [7] "Multilingual Universal Decimal Classification Summary," 2012, UDC Consortium, 2012, Web resource, v. 1.1. The Hague: UDC Consortium (UDCC Publication No. 088), URL: http://www.udcc.org/udcsummary/php/index.php [accessed: 2021-03-07].
- [8] "Creative Commons Attribution Share Alike 3.0 license," 2012, URL: http://creativecommons.org/licenses/by-sa/3.0/ [accessed: 2021-03-07], (first release 2009, subsequent update 2012).
- [9] B. M. Das, Advanced Soil Mechanics; Fifth Edition, 5th ed. CRC Press, Taylor & Francis Group, Boca Raton, London, New York, 2019, ISBN: 978-0-8153-7913-3.
- [10] "Land Processed Distributed Active Archive Center," 2021, LP DAAC, URL: https://lpdaac.usgs.gov/ [accessed: 2021-03-07].
- [11] C.-P. Rückemann, R. Pavani, B. Gersbeck-Schierholz, A. Tsitsipas, L. Schubert, F. Hülsmann, O. Lau, and M. Hofmeister, *Best Practice and Definitions of Formalisation and Formalism.* Post-Summit Results, Delegates' Summit: The Ninth Symp. on Adv. Comp. and Inf. in Natural and Applied Sciences (SACINAS), The 17th Int. Conf. of Num. Analysis and Appl. Math. (ICNAAM), Sept. 23–28, 2019, Rhodes, Greece, 2019, DOI: 10.15488/5241.
- [12] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, Numerical Recipes in Fortran 90, The Art of Parallel Scientific Computing. Cambridge University Press, 1996. → Q

- References

- [13] T. Vincenty, "Direct and inverse solutions of geodesics on the ellipsoid with application of nested equations," Surv. Rev., vol. XXII, no. 176, pp. 88–93, 1975.
- [14] R. J. Renka, "Algorithm 772: STRIPACK: Delaunay Triangulation and Voronoi Diagram on the Surface of a Sphere," AMC Trans. Math. Software, vol. 23, no. 3, pp. 416–434, 1997.
- [15] B. K. P. Horn, "Hill-Shading and the Reflectance Map," Proceedings of the IEEE, vol. 69, no. 1, pp. 14–47, 1981.
- [16] A. J. Kent and P. Vujakovic, Eds., The Routledge Handbook of Mapping and Cartography. Taylor & Francis Group, London and New York, 2018, ISBN: 978-1-138-83102-5.
- [17] C.-P. Rückemann, "Information Science and Inter-disciplinary Long-term Strategies Key to Insight, Consistency, and Sustainability: Conceptual Knowledge Reference Methodology Spanning Prehistory, Archaeology, Natural Sciences, and Humanities," *International Tutorial, DataSys Congress 2020, Sept. 27 – Oct. 1, 2020, Lisbon, Portugal*, 2020, URL: http://www.iaria.org/conferences2020/ProgramINFOCOMP20.html [accessed: 2021-03-07].
- [18] "The Prehistory and Archaeology Knowledge Archive (PAKA) license," 2021, (release 2021), Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF): All rights reserved. Rights retain to the contributing creators.
- [19] C.-P. Rückemann, "The Impact of Information Science Accompanied Structural Information on Computation of Knowledge Pattern Matching and Processing: A Prehistory, Archaeology, Natural Sciences, and Humanities Conceptual Integration Perspective," in Proc. of The Tenth Int, Conf. on Adv. Comm. and Comp. (INFOCOMP 2020), Sept. 27 – Oct. 1, 2020, Lisbon, Portugal, 2020, ISSN: 2308-3484, ISBN: 978-1-61208-807-5, URL: http://www. <= >= >

thinkmind.org/index.php?view=article&articleid=infocomp\_2020\_1\_10\_60015 [accessed: 2021-03-07].

- [20] R. Brinkmann, Abriß der Geologie, Bd. 2, Historische Geologie, neubearbeitet von Karl Krömmelbein, 12th/13th ed. Ferdinand Enke Verlag, Stuttgart, 1986, ISBN: 3-432-80603-5, (title in English: Epitome of Geology, Vol. 2, Historical Geology).
- [21] P. Woldstedt and K. Duphorn, Norddeutschland und angrenzende Gebiete im Eiszeitalter, 3rd ed., 1974, (title in English: Northern Germany and Adjacent Regions in the Ice Age).
- [22] G. N. Bailey, J. Harff, and D. Sakellariou, Eds., Under the Sea: Archaeology and Palaeolandscapes of the Continental Shelf, ser. Coastal Research Library. Springer International Publishing AG 2017, 2017, vol. 20, ISSN: 2211-0577, ISBN: 978-3-319-53158-8, DOI: 10.1007/978-3-319-53160-1.
- [23] "Network Common Data Form (NetCDF)," 2021, DOI: 10.5065/D6H70CW6, URL: http://www.unidata.ucar.edu/software/netcdf/ [accessed: 2021-03-07].
- [24] C.-P. Rückemann, "Principles of Superordinate Knowledge: Separation of Methodology, Implementation, and Realisation," in *The Eighth Symp. on Adv. Comp. and Inf. in Natural and Applied Sciences (SACINAS), Proceedings of The 16th Int. Conf. of Num. Analysis and Appl. Math. (ICNAAM), Sept. 13–18, 2018, Rhodes, Greece, AIP CP, Vol. 2116.* AIP Press, American Institute of Physics, Melville, New York, USA, 2019, ISBN: 978-0-7354-1854-7, DOI: 10.1063/1.5114033.
- [25] "UDC Summary Linked Data, Main Tables," 2020, Universal Decimal Classification (UDC), UDC Consortium, URL: https://udcdata.info/078887 [accessed: 2021-03-07]. < ≥ > ≥ <00</p>

- [26] "World reference base for soil resources," 1998, World Soil Resources Report No. 84, ISSS-ISRIC-FAO, Rome.
- [27] "World reference base for soil resources," 2006, World Soil Resources Report No. 103, ISSS-ISRIC-FAO, Rome.
- [28] P. Wessel, "The Digital Chart of the World for GMT 5 or later," 2018, URL: ftp://ftp.soest.hawaii.edu/gmt [accessed: 2021-03-07], URL: http://www.soest.hawaii.edu/pwessel/dcw/ [accessed: 2021-03-07].
- [29] P. Wessel, "Global Self-consistent Hierarchical High-resolution Geography," 2016, URL: http://ftp.soest.hawaii.edu/gmt [accessed: 2021-03-07], URL: http://www.soest.hawaii.edu/pwessel/gshhg/ [accessed: 2021-03-07].
- [30] P. Wessel and W. H. F. Smith, "A global, self-consistent, hierarchical, high-resolution shoreline database," J. Geophys. Res., vol. 101, no. B4, pp. 8741–8743, 1996.
- [31] E. A. Soluri and V. A. Woodson, "World Vector Shoreline," Int. Hydrograph. Rev., vol. LXVII, no. 1, pp. 27–35, 1990.
- [32] A. J. Gorny, "World Data Bank II General User Guide," 1977.
- [33] P. Wessel, W. H. F. Smith, R. Scharroo, J. Luis, and F. Wobbe, "The Generic Mapping Tools (GMT)," 2020, URL: http://www.generic-mapping-tools.org/ [accessed: 2021-03-07], URL: http://gmt.soest.hawaii.edu/ [accessed: 2021-03-07].

3