

– All-scientists Sustainable Contributions to Multi-disciplinary Insight –

**Advanced Contextualisation Reference Implementation Frameworks in Practice:
Coherent Multi-disciplinary Conceptual Knowledge-Spatial Context Discovery**

**Results from the Holocene-prehistoric Volcanological Features and
Archaeological Settlement Infrastructure Surveys**

The Fifteenth International Conference on Advanced Geographic Information
Systems, Applications, and Services (GEOProcessing 2023)
April 24–28, 2023, Venice, Italy



Dr. rer. nat. Claus-Peter Rückemann^{1,2,3}



¹ Westfälische Wilhelms-Universität Münster (WWU), Münster, Germany

² Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF), Germany

³ Leibniz Universität Hannover, Hannover, Germany
ruckema(at)uni-muenster.de



Common Information – The Author

Information: CV, lectures, studies, materials, research, and networking

Curriculum Vitae:

<http://scienceparagon.de/cpr/x/rueckemann/en/>

Publications, lectures, and materials:

<http://scienceparagon.de/cpr/x/rueckemann/en/#Publications>

<http://scienceparagon.de/cpr/x/frodi/en/#Courses>

Congresses and venues:

<http://scienceparagon.de/cpr/x/rwerkr/en/>

Research

Dr. Claus-Peter Rückemann

Westfälische Wilhelms-Universität Münster (WWU)

E-Mail: [ruckema\(at\)uni-muenster.de](mailto:ruckema(at)uni-muenster.de)

Chair of the Board of Trustees, Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (uDIMF);
Chair of the Board on Advanced Computing and Emerging Technologies and
Chair of the Symposia Board, International Academy, Research, and Industry Association;
General Chair and Chair of the Steering Committee of
The International Conference on Advanced Communications and Computation (INFOCOMP);
General Chair and Chair of the Steering Committee of
The International Conference on Advanced Geographic Information Systems, Applications, and Services (GEOProcessing);
Chair of the International Symposium on Advanced Computation and Information in Natural and Applied Sciences;
Director GEXI Consortium; Head of research LX Foundation; Senior Member of Knowledge in Motion long-term project;
Fellow Member of the Int. HPC and Artificial Intelligence Advisory Council; Member of the Indexing Committee Board, IARIA;
Westfälische Wilhelms-Universität Münster (WWU);
Senior Scientist and Senior Lecturer Information Science, Security, and Computing at Leibniz Univ. Hannover; IARIA Fellow.



Epitome / Abstract

Epitome / abstract

- This paper presents the results of the **research on coherent multi-disciplinary contextualisation and symbolic representation of worldwide Holocene-prehistoric volcanological features and discovery of archaeological settlement infrastructures, especially for prehistoric contexts**. Targets: Flexible context representation, processing, and integration, which includes further development of knowledge resources, visualisation, and chorological and chronological views ...
- Practical implementation employs: New **Conceptual Knowledge Reference Implementation (CKRI)** and the **Component Reference Implementations (CRI) framework** for conceptual knowledge-based context integration, complements knowledge processing, and geoscientific and spatial processing and visualisation.
- **Goal:** Creation of **practical knowledge-based methods and tool set components**, which provide solid, standardised means for sustainable long-term research. Both, methods and components should enable further continuous development and adoption to future research questions and targets.
- This paper provides the specific context discovery results, references to all component implementations and realisations.
- **Future research:** Further developments of reference implementations and knowledge resources, application in prehistory and archaeology.

Introduction

Introduction

- This paper presents the results of the research on practical employment of coherent multi-disciplinary contextualisation and symbolic representation of worldwide **Holocene-prehistoric volcanological features** and **archaeological settlement infrastructures**.
- **Goal of contextualisation:** Prehistoric contexts worldwide, identifying and integrating archaeological, prehistoric objects with objects from other scientific disciplines on equal footing, promoting a coherent multi-disciplinary conceptual methodological approach. **Methodological goal:** Creation of practical and sustainable knowledge-based methods and tool sets, which provide solid means for sustainable long-term research.
- The research targets flexible context processing, integration, and representation, which includes further development of knowledge resources, visualisation, and chorological and chronological views for analysis, interpretation, decision making, and new insight. New versions: Prehistory-protohistory and archaeology Conceptual Knowledge Reference Implementation (CKRI) [1] and the Component Reference Implementations (CRI) framework [2].
- The reference implementations are based on the fundamental methodology of knowledge complements [3], considering that many facets of knowledge, including prehistory, need to be continuously acquired and reviewed [4].

Conceptual knowledge implementation

Conceptual knowledge implementation

- Implementations and realisations are based on the CKRI reference implementation [5], and respective contextualisation. References are capable to integrate required context. Besides the core scope of this knowledge-focussed research on prehistoric, archaeological, and geoscientific questions, procedural complements are employed and extended via the CRI frame reference implementations [6]. Both provide sustainable fundamentals for highest levels of reproducibility and standardisation.
- Many aspects of knowledge [7], including meaning, can be described using knowledge complements supporting a modern definition of knowledge [8] and subsequent component instrumentation, e.g., considering factual, conceptual, procedural, metacognitive, and structural knowledge. Complements are a means of understanding and targeting new insight, e.g., enabling advanced contextualisation, integration, analysis, synthesis, innovation, prospection, and documentation.
- Universally coherent multi-disciplinary conceptual knowledge is implemented via the CKRI [5], demonstrated with Universal Decimal Classification (UDC) [9] code references, spanning the main tables based on science and knowledge organisation [10], as shown in Table 1.

Coherent conceptual knowledge implementation

Coherent conceptual knowledge implementation

Table 1: CKRI impl. of coherent conceptual knowledge contextualisation; main tables (excerpt).

<i>Code / Sign Ref.</i>	<i>Verbal Description (EN)</i>
UDC:0	Science and Knowledge. Organization. Computer Science. Information. Documentation. Librarianship. Institutions. . . .
UDC:1	Philosophy. Psychology
UDC:2	Religion. Theology
UDC:3	Social Sciences
UDC:5	Mathematics. Natural Sciences
UDC:55	Earth Sciences. Geological sciences
UDC:551.21	Vulcanicity. Vulcanism. Volcanoes. Eruptive phenomena. Eruptions
UDC:551.2. . .	Fumaroles. Solfataras. Geysers. Hot springs. Mofettes. Carbon dioxide vents. Soffioni
UDC:6	Applied Sciences. Medicine, Technology
UDC:692	Structural parts and elements of buildings
UDC:7	The Arts. Entertainment. Sport
UDC:711	Principles and practice of physical planning. Regional, town and country planning
UDC:8	Linguistics. Literature
UDC:9	Geography. Biography. History
UDC:902	Archaeology
UDC:903	Prehistory. Prehistoric remains, artefacts, antiquities
UDC:904	Cultural remains of historical times

The CKRI is provided in development stage editions, prehistory-protohistory and archaeology E.0.4.6, natural sciences E.0.2.8.

Implementation of auxiliaries and operations

Implementation of auxiliaries and operations

Tables 2 and 3 show CKRI excerpts of auxiliary tables and signs.

Table 2: CKRI implementation of coherent conceptual knowledge contextualisation; auxiliary tables (excerpt).

Code / Sign Ref. Verbal Description (EN)

UDC (1/9) Common auxiliaries of place

UDC:(23) Above sea level. Surface relief. Above ground generally.
Mountains

UDC:(24) Below sea level. Underground. Subterranean

UDC: "..." Common auxiliaries of time.

UDC: "6" Geological, archaeological and cultural time divisions

UDC: "62" Cenozoic (Cainozoic). Neozoic (70 MYBP - present)

UDC: "63" Archaeological, prehistoric, protohistoric periods and ages

Implementation of auxiliaries and operations

Implementation of auxiliaries and operations

Table 3: CKRI operation signs excerpt, integrating UDC Common Auxiliary Signs (English).

<i>Operation</i>	<i>Symbol</i>	
Coordination. Addition	+	(plus sign)
Consecutive extension	/	(oblique stroke sign)
Simple relation	:	(colon sign)
Order-fixing	::	(double colon sign)
Subgrouping	[]	(square brackets)
Introduces non-UDC notation	*	(asterisk)
Direct alphabetical specification.	A/Z	(alphabetic characters)
[Reference listing, itemisation]	;	(semicolon)
[Reference listing, sub-itemisation]	,	(comma)

Consistent multi-disciplinary conceptual knowledge is demonstrated via UDC code references spanning auxiliary tables [10]. Standardised operations (Table 3) are employed for creation of reference listings and faceted knowledge, integrating UDC auxiliary signs [10]. Conceptual knowledge in focus can be employed to provide references and facets to any universal knowledge context.

Component implementations

Component implementations

Integration components, reflecting standards and sustainable modules are based on the major groups of the CRI. The CRI framework is provided in development stage edition E.0.3.7. The ten major CRI component groups are:

- ① Conceptual knowledge frameworks.
- ② Conceptual knowledge base.
- ③ Integration of scientific reference frameworks.
- ④ Formalisation.
- ⑤ Methodologies and workflows integration.
- ⑥ Prehistory Knowledge Resources.
- ⑦ Natural Sciences Knowledge Resources.
- ⑧ Inherent representation groups.
- ⑨ Scientific context parametrisation.
- ⑩ Structures and symbolic representation.

All parts were realised based on CRI components, with realisations fully referenced in the following sections.

Component implementations

1) Component implementations

The conceptual knowledge was realised for all disciplines via the CKRI conceptual knowledge framework [5] and operations (Table 3). CKRI is demonstrated with UDC [9] references. For demonstration, CKRI references are illustrated via the multi-lingual UDC summary [9] released by the UDC Consortium, Creative Commons license [11].

2) Component implementations

Relevant scientific practices, frameworks, and standards from disciplines and contexts are integrated with the Knowledge Resources, e.g., here details regarding volcanological features, chronologies, spatial information, and Volcanic Explosivity Index (VEI) [12]. Corresponding coherent complementary results and details on faceting are available for a whole inventory of volcanological features groups [1].

3) Component implementations

All integration components, for all disciplines, require an *explicit and continuous formalisation* [13] *process*. The formalisation includes computation model support, e.g., *parallelisation standards*, *OpenMP* [14], *Reg Exp patterns*, e.g., *Perl Compatible Regular Expressions (PCRE)* [15]. Here, common scale of entities for primary objects is 10^3 and for secondary objects 10^4 – 10^5 . Processing operations [16] were parallelised for primary (n_1) features groups with respective instances.

Component implementations

4) Component implementations

Methodologies for creating and utilising methods include model processing, remote sensing, spatial mapping, high information densities, and visualisation. Respective contextualisation for scenarios in prehistory should be done under conditions especially reflecting state-of-the-art methods, e.g., spatial operations, triangulation, gradient computation, and projection.

5) Component implementations

The symbolic representation of the contextualisation can be done with a wide range of methods, algorithms, and available components, e.g., implemented here via LX Professional Scientific Content-Context-Suite (LX PSCC Suite) deploying the Generic Mapping Tools (GMT) [16] for visualisation.

6) Component implementations

Prehistoric objects and contexts are taken from *The Prehistory and Archaeology Knowledge Archive (PAKA)*, which is in continuous development for more than three decades [17], released by DIMF [18].

Component implementations

7) Component implementations

Several coherent systems of major natural sciences' context object groups from *KR realisations* have been implemented, especially Knowledge Resources (KR) focussing on volcanological features [12] deployed with in depth contextualisation and with a wide range [9] of contexts [19] and structures [20].

8) Component implementations

The contextualisation solution can employ state-of-the-art results from many disciplines, e.g., context from the natural sciences resources, integrating their inherent representation and common utilisation, e.g., *points*, *polygons*, *lines*, and spatial techniques and standards. Here, resources are Digital Elevation Models (DEM), High Resolution (HR) (Space) Shuttle Radar Topography Mission (SRTM) [21] data fusion [22], HR Digital Chart of the World (DCW) [23], and Global Self-consistent Hierarchical High-resolution Geography (GSHHG) [24].

Component implementations

9) Component implementations

Scientific *context parametrisation of prehistoric targets* can use the overall insight from all disciplines, e.g., parametrising algorithms and creating palaeolandscapes.

10) Component implementations

Structure is an organisation of interrelated entities in a material or non-material object or system [20]. Here, relevant examples of sustainable implementations are *NetCDF* [25] based standards, including advanced features, hybrid structure integration, and parallel computing support (*PnetCDF*).

Overall ...

Overall, all parts of the solution were implemented and realised via these components. Especially, GMT modules were deployed for select procedures together with PCRE and Perl filters. Spatial distance dependencies of objects and conditional decision criteria were realised via GMT geodesic calculation, which is very accurate using the Vincenty algorithm [26].

Scenarios, implementations and results

Scenarios, implementations and results

- The results for a multi-disciplinary case scenario from the current research with two primary case instances were chosen, Holocene-prehistoric volcanological features of strato volcanoes and maars (CKRI: UDC:511.2...), with geospherical calculations on a global scale and context discovery with coherently classified archaeological settlement infrastructure instances (CKRI: UDC:711... ,692,903,902,...) in geospherical radii of 300 km spatial distance from primary objects. The method can be summarised as follows.
 - Selection of KR, components, primary and secondary object types, symbolic representation, ...
 - Conceptual knowledge assignment.
 - Selection of chronological properties.
 - Selection of primary objects.
 - Selection of secondary objects.
 - Calculation of secondary objects' geospherical spatial distances.
 - Parallelisation of conceptual knowledge processing.
 - Parametrisation of symbolic representation.
 - Parallelisation of context data processing.
 - Visualisation processing.
 - (Further development of resources and implementations by the specific disciplines.)

In new applications, all steps and items should be carefully and intentionally addressed for any intelligent employment, depending on the research questions and contexts.

Resulting context groups (scientific fact-based methods and historico-cultural contextualisation)

Primary context groups (α and β) and arch. settlement infrastructures (Table 4)

Table 4: Scenario context groups and criteria: Volc. features / arch. settlement infrastr. (excerpt).

Context n_1		Context n_2
Geosciences		Archaeology / prehistory
Geoscientific features objects		Prehistoric object groups
Volc. features groups		Settlement infrastructures
• Strato volcano	$\alpha \Rightarrow$	• Viereckschanze
• Maar	$\beta \Rightarrow$	• Dwelling
• Complex volcano		• Long house
• Explosion crater		• Midden context
• Shield volcano		• Farm hut
• Subglacial volcano		• Enclosure
• Submarine volcano		• Roundhouse
• Volcanic field		• Siedlungsplatz
• Fissure vent		• Homestead
• Cone		• Hut circle
• Dome		• [individually named]
• ...		• ...
[Type Instances ...]		[Type instances ...]
Decision Criteria (n_1)		Decision Criteria (n_2)
Conceptual context (CKRI)		Conceptual context (CKRI)
Feature object type		Prehistoric object type
Chronology conditions		Chronology conditions
Chorology / positional conditions		Chorology / positional conditions
Object attributes		Object attributes
...		Geospherical spatial distance
...		(n_1 -instance-conditional)
...		Parametrisation, ... ,
...		Calculation / analysis

Resulting context groups (scientific fact-based methods and historico-cultural contextualisation)

Decision criteria and object groups ...

- The primary decision criteria include conceptual context, feature object type, chronology, and position.
- The secondary decision criteria include conceptual context, prehistoric object type, chronology, position, and conditional geospherical spatial distance depending on respective primary objects.
- Prehistoric object groups include all available language representations, e.g., 'en' and 'de'.
- Here, the first primary object group defines the spatial projection for consecutive primary groups.

Resulting context discovery matrices (scientific fact-based methods and historico-cultural contextualisation)

Resulting context discovery matrices for scenarios in Table 4

Table 5: Result matrix of Holocene-prehistoric volcanological features groups facets (excerpt, α , β). It includes conceptual knowledge view groups [9] (CKRI), volcanic activity, contexts, Knowledge Resources objects, and country codes (excerpt).

Multi-disciplinary Conceptual Knowledge Facets		Chronology Facets		Chorology Facets	
Volcanological Features	Conceptual Knowledge View / Facets Group	Volcanic Activity	Context	KR Object & Ref.	Country Code
CKRI: UDC:551.21.550.3,(23),STRATO_VOLCANO;"62"...		Holocene	PVA / HVA	Agua de Pau	① PT
CKRI: UDC:551.21.550.3,(23),STRATO_VOLCANO;"62"...		Holocene	PVA	Alngey	② RU
CKRI: UDC:551.21.550.3,(23),STRATO_VOLCANO;"62"...		Holocene	PVA / HVA	Azuma	③ JP
CKRI: UDC:551.21.550.3,(23),STRATO_VOLCANO;"62"...		Holocene	PVA / HVA	Hekla	④ IS
CKRI: UDC:551.21.550.3,(23),STRATO_VOLCANO;"62"...		Holocene	PVA
CKRI: UDC:551.2...551.21.550.3,(23)...MAARS_FEATURES;"62"...		Holocene	PVA	Cerro Tujle	① CL
CKRI: UDC:551.2...551.21.550.3,(23)...MAARS_FEATURES;"62"...		Holocene	PVA / HVA	Suoh	② ID
CKRI: UDC:551.2...551.21.550.3,(23)...MAARS_FEATURES;"62"...		Holocene	PVA / HVA	Ukinrek Maars	③ US
CKRI: UDC:551.2...551.21.550.3,(23)...MAARS_FEATURES;"62"...		Holocene	PVA / (CVA)	West Eifel Volcanic Field	④ DE
CKRI: UDC:551.2...551.21.550.3,(23)...MAARS_FEATURES;"62"...		Holocene	PVA
...	

The result matrix includes conceptual knowledge view groups [9] based on CKRI references [5], factual knowledge from the Knowledge Resources objects, and respective country codes. Context example references for the features groups facets show Prehistoric Volcanic Activity (PVA), Historic Volcanic Activity (HVA), and Continued Volcanic Activity (CVA), e.g., latent volcanic activity. PVA are consequence of the Holocene-prehistoric chronological contextualisation for all objects in the resulting volcanological features groups. Cases for which further facts are holding true can also allow past-prehistoric contextualisation, e.g., with HVA and CVA.

Resulting context discovery matrices (scientific fact-based methods and historico-cultural contextualisation)

Resulting context discovery matrices

Resulting context discovery matrices for both primary case instances of the scenario for multi-disciplinary contextualisation of settlements are given in Tables 6 and 7. Instances ① and ② refer to Table 4. Figure 1 shows a corresponding visualisation of the calculation results of the context discovery for both instances.

Table 6: Resulting settlement infrastructures from contextualisation with Holocene-prehistoric strato volcano ① volcanological features group (excerpt), including conceptual knowledge view groups [9] (CKRI).

Multi-disciplinary Conceptual Knowledge Facets Prehistorical Conceptual Knowledge View / Facets Group	Chronology Facets		Chorology Facets		
	Dependency	Context	Knowledge Resources Object	Count	Ref. & Range
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Grota do Medo	$\Sigma = 1$	① 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	—	$\Sigma = 0$	② 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Sakiyama Kaizuka		③ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Togariishi		③ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Yaze		③ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	...	$\Sigma = 14$	③ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Flókatóftir		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Þjóðveldisbærinn		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Vogur		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;..	Synchronous	MN-LIA	Stöðvarfjörður	$\Sigma = 4$	④ 300 km


Resulting context discovery matrices (scientific fact-based methods and historico-cultural contextualisation)

Resulting context discovery matrices


Table 7: Resulting settlement infrastructures from contextualisation with Holocene-prehistoric maars ^(β) volcanological features group (excerpt), including conceptual knowledge view groups [9] (CKRI).

Multi-disciplinary Conceptual Knowledge Facets	Chronology Facets		Chorology Facets		
Prehistorical Conceptual Knowledge View / Facets Group	Dependency	Context	Knowledge Resources Object	Count	Ref. & Range
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Potrero de Payogasta		① 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Pucará de Tilcara		① 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Tulor		① 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	...	∑ = 8	① 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Segayun megalithic site	∑ = 1	② 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	–	∑ = 0	③ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Federlesmahd VS		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Gelbrunn Wald VS		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	Hardheim VS		④ 300 km
CKRI: UDC:711.....692,903,902,SETTLEMENT_INFRASTRUCTURE;...	Synchronous	MN-LIA	...	∑ = 180	④ 300 km

Resulting context discovery matrices: Contextualisation



(a) Strato volcano group (⊙): Resulting arch. settlement infrastr.



(b) Maars group (⊙): Resulting arch. settlement infrastr.

Figure 1: Contextualisation: Holocene-prehistoric volcanological features groups for the two case scenarios and the resulting settlement infrastructures. Coherent multi-disciplinary context integration and results based on CKRI, chronological, and chorological criteria (excerpts, Transverse Mercator projections).

Discussion of case scenario results

Implementation and realisation provide a **seamlessly coherent multi-disciplinary conceptual knowledge contextualisation** for the case scenario and its instances.

Discussion of case scenario results

- The context discovery result matrices (Tables 6 and 7) for the instances α and β both refer to n_2 in Table 4. Especially, these **secondary object groups include objects from Middle Neolithic (MN) to at least Late Iron Age (LIA), including ages in between, e.g., Bronze Age.**
- The objects groups comprise **all types of settlement infrastructures, e.g., Celtic ramparts, Viereckschanzen (VS), and middens with settlement contexts.**
- The **resulting group of strato volcanoes aligns along $0^\circ/360^\circ$ longitude** (Figure 1). An appropriate **Transverse Mercator projection** was chosen in order **to minimise the distortion along a respective meridian** for the generation of the primary results of strato volcanoes and results for other consecutive, secondary, contextualised volcanological features, e.g., maars.

Discussion of case scenario results

Discussion of case scenario results

- The **CRI framework components** were employed for all steps, including knowledge organisation, conceptual and spatial calculation, and visualisation.
- **Primary objects**, strato volcano (medium green volcano symbol) and maars (light green volcano symbol) are marked as well as resulting **secondary objects**, settlements (blue rectangular symbols), all in their precise georeferenced position. **Resulting conceptual knowledge is given for these objects. Resulting sums of secondary discovery objects were calculated.**
- Any case can be **dynamically contextualised with coherent multi-disciplinary knowledge**, as demonstrated for geosciences, prehistory, and archaeology, e.g., referring to prehistoric object properties and excavation results and targeting new insight from geoscientific and multi-disciplinary context integration.
- Any **resulting contextualisation matrices and coherent conceptual and faceted knowledge can further be input to consecutive contextualisation processes.** The more, solutions with **individual methods and workflows can be created for numberless different questions (scientific method integration, scientific fact-based contextualisation, scientific logic and analysis) and situations (continuous fact-based re-contextualisation and interpretations).** Results can consequently be deployed for creative historico-cultural context exploitation.

Conclusion

Conclusion

- **This research implemented and realised multi-disciplinary contextualisation, based on employing the contextualisation reference implementation frameworks for coherent multi-disciplinary conceptual knowledge-spatial context discovery achieved its goals and proved efficient and sustainable.**
- The case scenarios for **context discovery of archaeological settlement infrastructures for Holocene-prehistoric volcanological features** resulted in valuable contextualisation potential, precise historico-cultural assignments (see figures and tables), and possible further insight.
- The **contextualisation integrates conceptual, factual, procedural, structural, and metacognitive knowledge complements**. Based on the methodological approach, complements can be identified and assigned during the contextualisation processes.
- The **methods and reference implementations can be efficiently and effectively employed for practical implementations and realisations for multi-disciplinary research**, especially in prehistory, archaeology, natural sciences, and humanities.
- Future research will address **archaeological settlement infrastructures and further object groups and new models for their coherent multi-disciplinary contextualisation**. Prehistoric object groups are matter of future surveys and investigations, e.g., context artefacts and soil characteristics ...

Networking

A photograph of a grand, ornate staircase with wooden steps and metal railings. The walls are decorated with intricate carvings and murals. A large, bright orange rectangular box with rounded corners is centered over the image, containing the text "Thank you for your attention!".

Thank you for your attention!

References

References and acknowledgements, see:

- ⇒ C.-P. Rückemann, "Advanced Contextualisation Reference Implementation Frameworks in Practice: Coherent Multi-disciplinary Conceptual Knowledge-Spatial Context Discovery Results from the Holocene-prehistoric Volcanological Features and Archaeological Settlement Infrastructure Surveys," in *Proceedings of The Fifteenth International Conference on Advanced Geographic Information Systems, Applications, and Services (GEOProcessing 2023), April 24 – 28, 2023, Venice, Italy* XPS Press, 2023, ISSN: 2308-393X, ISBN-13: 978-1-68558-079-7, URL: <http://www.thinkmind.org/index.php?view=instance&instance=GEOProcessing+2023> [accessed: 2023-04-24], <http://www.iaria.org/conferences2023/ProgramGEOProcessing23.html> [accessed: 2023-04-24].

Acknowledgements

Acknowledgements

This ongoing research is supported by scientific organisations and individuals. We are grateful to the “Knowledge in Motion” (KiM) long-term project, Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF), for partially funding this research, implementation, case studies, and publication under grants D1988FGU90618, D1988FGU90842, D2022F1P05308, and D2022F1P05312. and to its senior scientific members and members of the permanent commission of the science council, especially to Dr. Friedrich Hülsmann, Gottfried Wilhelm Leibniz Bibliothek (GWLB) Hannover, to Dipl.-Biol. Birgit Gersbeck-Schierholz, Leibniz Universität Hannover for fruitful discussion, inspiration, and practical multi-disciplinary contextualisation and case studies. We are grateful to Dipl.-Geogr. Burkhard Hentzschel and Dipl.-Ing. Eckhard Dunkhorst, Minden, Germany, for prolific discussion and exchange of practical spatial, UAV, and context scenarios. We are grateful to Dipl.-Ing. Hans-Günther Müller, Göttingen, Germany, for providing specialised, manufactured high end computation, storage, and visualisation solutions. We are grateful to The Science and High Performance Supercomputing Centre (SHPC) for long-term support. / DIMF-PIID-DF98_007; URL: <https://scienceparagon.de/cpr>.

References

Bibliography / References

**Reference section containing all the cited references
used from the respective publication.**

- [1] C.-P. Rückemann, "Faceting the Holocene-prehistoric Inventory of Volcanological Features Groups Towards Sustainable Multi-disciplinary Context Integration in Prehistory and Archaeology Based on the Methodology of Coherent Conceptual Knowledge Contextualisation," *International Journal on Advances in Intelligent Systems*, vol. 15, no. 3&4, pp. 115–129, 2022, ISSN: 1942-2679, LCCN: 2008212456 (Library of Congress), URL: http://www.iariajournals.org/intelligent_systems [accessed: 2022-03-20].
- [2] C.-P. Rückemann, "Component Framework Implementation and Realisation for Development and Deployment of a Coherent Multi-disciplinary Conceptual Knowledge-based Holocene-prehistoric Inventory of Volcanological Features Groups and Faceting," *International Journal on Advances in Intelligent Systems*, vol. 15, no. 3&4, pp. 103–114, 2022, ISSN: 1942-2679, LCCN: 2008212456 (Library of Congress), URL: http://www.iariajournals.org/intelligent_systems [accessed: 2022-03-20].
- [3] C.-P. Rückemann, "From Knowledge and Meaning Towards Knowledge Pattern Matching: Processing and Developing Knowledge Objects Targeting Geoscientific Context and Georeferencing," in *Proc. GEOProcessing 2020, November 21–25, 2020, Valencia, Spain*, 2020, pp. 36–41, ISSN: 2308-393X, ISBN-13: 978-1-61208-762-7.
- [4] R. Gleser, *Zu den erkenntnistheoretischen Grundlagen der Prähistorischen Archäologie*. Leiden, 2021, (title in English: On the Epistemological Fundaments of Prehistorical Archaeology), in: M. Renger, S.-M. Rothermund, S. Schreiber, and A. Veling (Eds.), *Theorie, Archäologie, Reflexion. Kontroversen und Ansätze im deutschsprachigen Diskurs*, (in print).
- [5] C.-P. Rückemann, "Towards Conceptual Knowledge Reference Implementations for Context Integration and Contextualisation of Prehistory's and Natural Sciences' Multi-disciplinary Contexts," *International Journal on Advances in Systems and Measurements*, vol. 14, no. 1&2, pp. 113–124, 2021, ISSN: 1942-261x, LCCN: 2008212470 (Library of Congress), URL: http://www.iariajournals.org/systems_and_measurements [accessed: 2022-03-20].

- [6] C.-P. Rückemann, "Towards a Component Reference Implementations Frame for Achieving Multi-disciplinary Coherent Conceptual and Chronological Contextualisation in Prehistory and Prehistoric Archaeology," *International Journal on Advances in Systems and Measurements*, vol. 14, no. 1&2, pp. 103–112, 2021, ISSN: 1942-261x, LCCN: 2008212470 (Library of Congress), URL: http://www.iariajournals.org/systems_and_measurements [accessed: 2022-03-20].
- [7] L. W. Anderson and D. R. Krathwohl, Eds., *A Taxonomy for Learning, Teaching, and Assessing: A Revision of Bloom's Taxonomy of Educational Objectives*. Allyn & Bacon, Boston, MA (Pearson Education Group), USA, 2001, ISBN: 978-0801319037.
- [8] C.-P. Rückemann, F. Hülsmann, B. Gersbeck-Schierholz, P. Skurowski, and M. Staniszewski, *Knowledge and Computing*. Post-Summit Results, Delegates' Summit: Best Practice and Definitions of Knowledge and Computing, Sept. 23, 2015, The Fifth Symp. on Adv. Comp. and Inf. in Natural and Applied Sciences (SACINAS), The 13th Int. Conf. of Num. Analysis and Appl. Math. (ICNAAM), Sept. 23–29, 2015, Rhodes, Greece, 2015, pp. 1–7, DOI: 10.15488/3409.
- [9] "Multilingual Universal Decimal Classification Summary," 2012, UDC Consortium, 2012, Web resource, v. 1.1. The Hague: UDC Consortium (UDCC Publication No. 088), URL: <http://www.udcc.org/udccsummary/php/index.php> [accessed: 2022-03-20].
- [10] "UDC Summary Linked Data," 2023, Universal Decimal Classification (UDC), UDC Consortium, URL: <https://udccdata.info/> [accessed: 2022-03-20].
- [11] "Creative Commons Attribution Share Alike 3.0 license," 2012, URL: <http://creativecommons.org/licenses/by-sa/3.0/> [accessed: 2022-03-20], (first release 2009, subsequent update 2012).

- [12] C.-P. Rückemann, “Cognostics and Knowledge Used With Dynamical Processing,” *International Journal on Advances in Software*, vol. 8, no. 3&4, pp. 361–376, 2015, ISSN: 1942-2628, LCCN: 2008212462 (Library of Congress), URL: <http://www.iariajournals.org/software/> [accessed: 2022-03-20].
- [13] C.-P. Rückemann, R. Pavani, B. Gersbeck-Schierholz, A. Tsitsipas, L. Schubert, F. Hülsmann, O. Lau, and M. Hofmeister, *Best Practice and Definitions of Formalisation and Formalism*. Post-Summit Results, Delegates’ Summit: The Ninth Symp. on Adv. Comp. and Inf. in Natural and Applied Sciences (SACINAS), The 17th Int. Conf. of Num. Analysis and Appl. Math. (ICNAAM), Sept. 23–28, 2019, Rhodes, Greece, 2019, DOI: 10.15488/5241.
- [14] L. Dagum and R. Menon, “OpenMP: an industry standard API for shared-memory programming,” *Computational Science & Engineering, (IEEE)*, vol. 5, no. 1, pp. 46–55, 1998.
- [15] “Perl Compatible Regular Expressions (PCRE),” 2023, URL: <https://www.pcre.org/> [accessed: 2022-03-20].
- [16] P. Wessel, W. H. F. Smith, R. Scharroo, J. Luis, and F. Wobbe, “The Generic Mapping Tools (GMT),” 2020, URL: <http://www.generic-mapping-tools.org/> [accessed: 2022-03-20], URL: <http://gmt.soest.hawaii.edu/> [accessed: 2022-03-20].
- [17] C.-P. Rückemann, “Information Science and Inter-disciplinary Long-term Strategies – Key to Insight, Consistency, and Sustainability: Conceptual Knowledge Reference Methodology Spanning Prehistory, Archaeology, Natural Sciences, and Humanities,” *International Tutorial, DataSys Congress 2020, Sept. 27 – Oct. 1, 2020, Lisbon, Portugal*, 2020, URL: <http://www.iaria.org/conferences2020/ProgramINFOCOMP20.html> [accessed: 2022-03-20].

- [18] "The Prehistory and Archaeology Knowledge Archive (PAKA) license," 2023, (release 2023), Unabhängiges Deutsches Institut für Multi-disziplinäre Forschung (DIMF): All rights reserved. Rights retain to the contributing creators.
- [19] C.-P. Rückemann, "Prehistory's and Natural Sciences' Multi-disciplinary Contexts: Contextualisation and Context Integration Based on Universal Conceptual Knowledge," in *Proc. INFOCOMP 2021, May 30 – June 3, 2021, Valencia, Spain, 2021*, ISSN: 2308-3484, ISBN: 978-1-61208-865-5.
- [20] C.-P. Rückemann, "The Impact of Information Science Accompanied Structural Information on Computation of Knowledge Pattern Matching and Processing: A Prehistory, Archaeology, Natural Sciences, and Humanities Conceptual Integration Perspective," in *Proc. INFOCOMP 2020, Sept. 27 – Oct. 1, 2020, Lisbon, Portugal, 2020*, ISBN: 978-1-61208-807-5, URL: http://www.thinkmind.org/index.php?view=article&articleid=infocomp_2020_1_10_60015 [accessed: 2022-03-20].
- [21] B. Tozer, D. T. Sandwell, W. H. F. Smith, C. Olson, J. R. Beale, and P. Wessel, "Global Bathymetry and Topography at 15 Arc Sec: SRTM15+," *Earth and Space Science*, vol. 6, no. 10, pp. 1847–1864, Oct. 2019, ISSN: 2333-5084, DOI: 10.1029/2019EA000658.
- [22] C. L. Olson, J. J. Becker, and D. T. Sandwell, "SRTM15-PLUS: Data fusion of Shuttle Radar Topography Mission (SRTM) land topography with measured and estimated seafloor topography," (*NCEI Accession 0150537*), *National Centers for Environmental Information (NCEI)*, NOAA, 2016.
- [23] P. Wessel, "DCW for GMT 6 or later," 2022, URL: <http://www.soest.hawaii.edu/pwessel/dcw/> [accessed: 2022-03-20].

- [24] P. Wessel, "GSHHG," 2017, URL: <http://www.soest.hawaii.edu/pwessel/gshhg/> [accessed: 2022-03-20].
- [25] "Network Common Data Form (NetCDF)," 2021, DOI: 10.5065/D6H70CW6, URL: <http://www.unidata.ucar.edu/software/netcdf/> [accessed: 2022-03-20].
- [26] T. Vincenty, "Direct and inverse solutions of geodesics on the ellipsoid with application of nested equations," *Surv. Rev.*, vol. XXII, no. 176, pp. 88–93, 1975.